



CEMENTFABRIKEN  
SCANDINAVIA

23  
24

BLUE LABEL  
MARBLE COLLECTION

# PAGE GUIDE SID GUIDE

## SYMBOLS | SYMBOLER

### TECHNICAL CHARACTERISTICS TEKNISKA EGENSKAPER

- 2CM** THICKNESS 2CM  
TJOCKLEK 2CM
- COLORED BODY  
FÄRGAD KÄRNA
- W** WHITE BODY  
VIT KÄRNA
- P** PORCELAIN  
PORSLIN
- └** RECTIFIED  
SKARPKANTAD
- DIGITAL TECHNOLOGY  
DIGITAL TEKNOLOGI
- C2** ANTI SLIP  
HALKSAKER
- C3** ANTI SLIP  
HALKSAKER
- R11** ANTI SLIP  
HALKSAKER
- ☞** FLOOR & WALL  
GOLV & VÄGG (KLINKER)
- ☞** WALL TILE  
VÄGG (KAKEL)
- ☞** FLOOR TILE  
GOLV (KLINKER)

### SURFACE FINISH YT-FINISH

- ★** POLISHED  
POLERAD
- ★** SHINY  
BLANK
- MATT  
MATT
- ☀** SATIN  
SATIN
- METAL  
METALL
- RELIEVE  
KAKEL MED STRUKTUR

### GRAPHICAL VARIATION GRAFISK VARIATION

- V1** UNIFORM APPEARANCE  
ENHETLIGT UTFORANDE
- V2** SLIGHT VARIATION  
SMÅ VARIATIONER
- V3** MODERATE DEGREE OF VARIATION  
MÄTLIG GRAD AV VARIATION
- V4** HIGH DEGREE OF VARIATION  
HÖG GRAD AV VARIATION

## PAGE EXAMPLE SIDEXEMPEL

Name & Material | Namn & Material

Collection | Kollektion


# INVISIBLE GREY

120x120 60x120

PORCELAIN • PORSLIN

MARBLES COLLECTION

Design



Characteristics | Egenskaper




120x120  
8 Designs  
60x120  
16 Designs

### FORMAT



B18 Capraia Polished 120x120 Rect.



B54 Capraia Polished 60x120 Rect.

Pricecode | Priskod  
Name | Namn  
Finish | Finish  
Size | Storlek

### Special pieces | Specialbitar



P31 8x60 Skirting roma | Sockelplatta





# ACADIA


75x75 60x120

PORCELAIN • PORSLIN



**60x120**  
14 Designs  
**75x75**  
10 Designs

## FORMAT



**B56** Acadia White Polished 75x75 Rect.  
**B55** Acadia White Satin 75x75 Rect.



**B54** Acadia White Polished 60x120 Rect.  
**B84** Acadia White Satin 60x120 Rect.

## Special pieces | Specialbitar



**P31** 8x60 / 8x59,5 Skirting romo | Sockelplatta  
**P23** 8x75 Skirting romo | Sockelplatta



MARBLES COLLECTION



# ALEXANDRA

120x120 75x75 60x120 60x60

PORCELAIN • PORSLIN



MARBLES COLLECTION




120x120

6 Designs


60 x 120 / 60x60 / 75x75

10 Designs


## FORMAT




B54 Alexandra Polished 60x120 Rect.



B60 Alexandra Shiny 59,5x59,5 Rect.



B18 Alexandra Polished 120x120 Rect.



B55 Alexandra Shiny 75x75 Rect.

## Special pieces | Specialbitar



P31 8x60 / 8x59,5 Skirting romo | Sockelplatta  
P23 8x75 Skirting romo | Sockelplatta





# ANGEL

120x120 60x120


PORCELAIN • PORSLIN

MARBLES COLLECTION




120x120  
8 Designs  
60 x 120  
16 Designs

## FORMAT



B54 Angel Polished 60x120 Rect.



B18 Angel Polished 120x120 Rect.

## Special pieces | Specialbitar



P31 8x60 / 8x59,5 Skirting romo | Sockelplatta  
P23 8x75 Skirting romo | Sockelplatta







# ARAL

120x120 60x120 75x75 60x60

PORCELAIN • PORSLIN

MARBLES COLLECTION




120x120

6 Designs


60 x 120 / 60x60 / 75x75

12 Designs


## FORMAT




B54 Aral Polished 60x120 Rect.



B60 Aral Shiny 59,5x59,5 Rect.



B18 Aral Polished 120x120 Rect.



B55 Aral Shiny 75x75 Rect.

## Special pieces | Specialbitar



P31 8x60 / 8x59,5 Skirting romo | Sockelplatta  
P23 8x75 Skirting romo | Sockelplatta





# ATLANTIS

60x60

PORCELAIN • PORSLIN




MARBLES COLLECTION



FORMAT

60x60  
15 Designs



B60 Atlantis Shiny 59,5x59,5 Rect.

Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta





# ATLANTIS GOLD

120x120 60x120 75x75 60x60 30x60 23x27

PORCELAIN • PORSLIN

MARBLES COLLECTION



## FORMAT

120x120

8 Designs

30x60 / 60 x 120


15 Designs

60x60 / 75x75


10 Designs

23x27 (HEXAGON)


24 Designs



B18 Atlantis Gold Polished 120x120 Rect.  
B76 Atlantis Gold Satin 120x120 Rect.



B56 Atlantis Gold Polished 75x75 Rect.  
B55 Atlantis Gold Matt 75x75 Rect.  
B55 Atlantis Gold Shiny 75x75 Rect.



B60 Atlantis Gold Matt 59,5x59,5 Rect.  
B60 Atlantis Gold Shiny 59,5x59,5 Rect.



B54 Atlantis Gold Polished 60x120 Rect.  
B84 Atlantis Gold Satin 60x120 Rect.



B100 Atlantis Gold Matt 29,5x59,5 Rect.




B54 Atlantis Gold Matt Hexa 23x27

## Special pieces | Specialbitar



P31 8x60 / 8x59,5 Skirting romo | Sockelplatta  
P23 8x75 Skirting romo | Sockelplatta



P129 33x120 Stair step | Trappsteg



# CALACATTA BLACK

120x120 60x120 60x60


PORCELAIN • PORSLIN

MARBLES COLLECTION




**120x120**  
8 Designs  
**60 x 120**  
16 Designs  
**60x60**  
32 Designs

## FORMAT



**B54** Calacatta Black Polished 60x120 Rect.



**B60** Calacatta Black Matt 59,5x59,5 Rect.


### Special pieces | Specialbitar



**P31** 8x60 / 8x59,5 Skirting romo | Sockelplatta  
**P23** 8x75 Skirting romo | Sockelplatta



**P129** 33x120 Stair step | Trappsteg



**B18** Atlantis Gold Polished 120x120 Rect.






# CALACATTA BLACK DECOR

30x90

WHITE BODY • VIT KÄRNA



CALACATTA BLACK



CALACATTA BLACK DECOR

MARBLES COLLECTION

## FORMAT




30x90

21 Designs




B69 Calacatta Black Shiny 29,5x90 Rect.



B54 Calacatta Black Decor Shiny 29,5x90 Rect.



## Matching floor tile | Matchande klinker



B60 Calacatta Black Matt 59,5x59,5 Rect.

## Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta





# CALACATTA BORGHINI

120X120 60X120

PORCELAIN • PORSLIN




MARBLES COLLECTION




**120x120**  
10 Designs  
**60x120**  
20 Designs

## FORMAT



**B54** Calacatta Borghini Polished 60x120 Rect.  
**B84** Calacatta Borghini Satin 60x120 Rect.



**B18** Calacatta Borghini Polished 120x120 Rect.  
**B76** Calacatta Borghini Satin 120x120 Rect.

### Special pieces | Specialbitar



**P31** 8x60 Skirting romo | Sockelplatta



**P129** 33x120 Stair step | Trappsteg





# CALACATTA PAONAZZO

120x120 60x120 75x75 60x60 30x60 23x27


PORCELAIN • PORSLIN

MARBLES COLLECTION




**120x120**  
6 Designs  
**70x70 / 60x120**  
12 Designs  
**60x60**  
16 Designs  
**23x27**  
24 Designs

## FORMAT




**B18** Calacatta Paonazzo Polished 120x120 Rect.



**B56** Calacatta Paonazzo Polished 75x75 Rect.  
**B55** Calacatta Paonazzo Matt 75x75 Rect.



**B60** Calacatta Paonazzo Matt 59,5x59,5 Rect.



**B54** Calacatta Paonazzo Polished 60x120 Rect.  
**B84** Calacatta Paonazzo Satin 60x120 Rect.



**B18** Atlantis Gold Matt 29,5x59,5 Rect.



**B54** Calacatta Paonazzo Matt Hexa 23,2x26,7

## Special pieces | Specialbitar



**P31** 8x60 / 8x59,5 Skirting romo | Sockelplatta  
**P23** 8x75 Skirting romo | Sockelplatta



**P129** 33x120 Stair step | Trappsteg





CALACATTA PAONAZZO

# CALACATTA PAONAZZO DECOR

30x90

WHITE BODY • VIT KÄRNA




CALACATTA PAONAZZO DECOR

MARBLES COLLECTION




30x90  
18 Designs

## FORMAT



B69 Calacatta Paonazzo Shiny 29,5x90 Rect.



B54 Calacatta Paonazzo Decor Shiny 29,5x90 Rect.




## Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta

## Matching floor tile | Matchande klinker



B60 Calacatta Paonazzo Matt  
59,5x59,5 Rect.







# CAPRAIA

120X120 60X120


PORCELAIN • PORSLIN

MARBLES COLLECTION




**120x120**  
12 Designs  
**60x120**  
24 Designs

## FORMAT



B54 Capraia Polished 60x120 Rect.



B18 Capraia Polished 120x120 Rect.

## Special pieces | Specialbitar



P31 8x60 Skirting romo | Sockelplatta



P129 33x120 Stair step | Trappsteg





# CAPRAIA


120X120 60X120

PORCELAIN • PORSLIN



60x120  
8 Designs

## FORMAT



B54 Crema Polished 60x120 Rect.

## Special pieces | Specialbitar



P31 31x60 Skirting romo | Sockelplatta



MARBLES COLLECTION





# DOLOMITE

75x75 60x120

PORCELAIN • PORSLIN

MARBLES COLLECTION




**75x75**

12 Designs

**60x120**

15 Designs

## FORMAT



B55 Dolomite Matt 75x75 Rect.



B54 Dolomite Polished 60x120 Rect.

## Special pieces | Specialbitar



P31 8x60 / 8x59,5 Skirting romo | Sockelplatta  
P23 8x75 Skirting romo | Sockelplatta



P129 33x120 Stair step | Trappsteg







# STATUARIO

120x120 60x120 75x75 60x60 30x60 23x27


PORCELAIN • PORSLIN

MARBLES COLLECTION




- 120x120**  
6 Designs
- 60x120**  
12 Designs
- 75x75 / 60x60**  
10 Designs
- 23x27**  
36 Designs

## FORMAT




**B18** Statuario Polished 120x120 Rect.



**B55** Statuario Shiny 75x75 Rect.



**B54** Statuario Polished 60x120 Rect.



**B60** Statuario Matt 59,5x59,5 Rect.  
**B60** Statuario Shiny 59,5x59,5 Rect.



**B54** Statuario Matt  
Hexa 23,2x26,7

## Special pieces | Specialbitar



**P31** 8x60 / 8x59,5 Skirting romo | Sockelplatta  
**P23** 8x75 Skirting romo | Sockelplatta



**P129** 33x120 Stair step | Trappsteg



# GIULETTA

30x90

WHITE BODY • VIT KÄRNA

GIULETTA

GIULETTA DECOR

MARBLES COLLECTION




60x60 / 30x90  
12 Designs

## FORMAT



B69 Giuletta Shiny 29,5x90 Rect.



B54 Giuletta Decor Shiny 29,5x90 Rect.




## Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta


## Matching floor tile | Matchande klinker



B60 Giuletta Shiny  
59,5x59,5 Rect.







# INVISIBLE GREY

120x120 60x120


PORCELAIN • PORSLIN

MARBLES COLLECTION



120x120  
8 Designs  
60x120  
16 Designs

## FORMAT



B18 Capraia Polished 120x120 Rect.



B54 Capraia Polished 60x120 Rect.

## Special pieces | Specialbitar




P31 31x60 Skirting romo | Sockelplatta








WHITE



GREY



BLACK

# JURASSIC

120x120 60x120


PORCELAIN • PORSLIN



MARBLES COLLECTION



## FORMAT



120x120  
6 Designs  
60x120  
12 Designs

### Special pieces | Specialbitar



P31 8x60 Skirting board | Sockelplatta



P129 33x120 Stair step | Trappsteg



- ✦ B18 Jurassic White Polished 120x120 Rect.
- ✦ B18 Jurassic Grey Polished 120x120 Rect.
- ✦ B104 Jurassic Black Polished 120x120 Rect.
- ✦ B76 Jurassic White Satin 120x120 Rect.
- ✦ B76 Jurassic Grey Satin 120x120 Rect.
- ✦ B82 Jurassic Black Satin 120x120 Rect.
- ✦ B82 Jurassic Black Grip 120x120 Rect.

- ✦ B54 Jurassic White Polished 60x120 Rect.
- ✦ B54 Jurassic Grey Polished 60x120 Rect.
- ✦ B103 Jurassic Black Polished 60x120 Rect.
- ✦ B84 Jurassic White Satin 60x120 Rect.
- ✦ B84 Jurassic Grey Satin 60x120 Rect.
- ✦ B106 Jurassic Black Matt 60x120 Rect.



DECOR WHITE

DECOR GREY

DECOR BLACK

# JURASSIC DECOR

60x120


PORCELAIN • PORSLIN

MARBLES COLLECTION

## FORMAT



30x90  
21 Designs



- B69 Jurassic Decor White Polished 60x120 Rect.
- B69 Jurassic Decor Grey Polished 60x120 Rect.
- B69 Jurassic Decor Black Polished 60x120 Rect.


### Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta







# LILAC

120x120 60x120


PORCELAIN • PORSLIN

MARBLES COLLECTION




## FORMAT

**120x120**  
12 Designs  
**60x120**  
24 Designs



**B18** Lilac Polished 120x120 Rect.  
**B76** Lilac Satin 120x120 Rect.



**B54** Lilac Polished 60x120 Rect.

### Special pieces | Specialbitar



**P31** 8x59,5 Skirting romo | Sockelplatta





# CLOUDBERRY

120x120 60x120

PORCELAIN • PORSLIN




MARBLES COLLECTION




## FORMAT

**120x120**  
12 Designs  
**60x120**  
24 Designs



**B18** Cloudberry Polished 120x120 Rect.



**B54** Lilac Polished 60x120 Rect.  
**B86** Cloudberry Matt 59,5x119,5 Rect.

## Special pieces | Specialbitar



**P31** 8x59,5 Skirting romo | Sockelplatta





# OMNIA

120x120 60x120

PORCELAIN • PORSLIN

MARBLES COLLECTION




120x120

9 Designs


60x120

18 Designs

## FORMAT



■ B18 Omnia Polished 120x120 Rect.  
■ B79 Omnia Satin 120x120 Rect.



■ B54 Omnia Polished 60x120 Rect.  
■ B84 Omnia Satin 60x120 Rect.

## Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta







WINTER



AUTUMN



SPRING

# SEASONS


120x120 60x120

PORCELAIN • PORSLIN


MARBLES COLLECTION



## FORMAT



- B18 Seasons Winter Polished 120x120 Rect.
- B18 Seasons Autumn Polished 120x120 Rect.
- B104 Seasons Spring Polished 120x120 Rect.



- B54 Seasons Winter Polished 60x120 Rect.
- B54 Seasons Autumn Polished 60x120 Rect.
- B103 Seasons Spring Polished 60x120 Rect.



120x120  
10 Designs

60x120  
20 Designs

### Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta





# PORTOBELLO

120x120 60x120

PORCELAIN • PORSLIN

MARBLES COLLECTION




75x75

12 Designs


60x120

24 Designs

## FORMAT



B18 Portobello Polished 120x120 Rect.



B54 Portobello Polished 60x120 Rect.

## Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta





# PRESTIGE DECOR

30x90

WHITE BODY • VIT KÄRNA

MARBLES COLLECTION

PRESTIGE MATT

PRESTIGE DECOR SHINY

## FORMAT




30x90


18 Designs

60x60

12 Designs




B69 Prestige Matt 29,5x90 Rect.



B54 Prestige Decor Shiny 29,5x90 Rect.



Matching floor tile | Matchande klinker



B60 Prestige Matt  
59,5x59,5 Rect.

Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta





CREAM

PEARL

# PULPIS

120x120 60x120 60x60


PORCELAIN • PORSLIN

MARBLES COLLECTION




120x120  
6 Designs  
60 x 120  
8 Designs  
60x60  
12 Designs

## FORMAT



- B54 Pulpis Pearl Polished 60x120 Rect.
- B54 Pulpis Cream Polished 60x120 Rect.
- B54 Pulpis Pearl Satin 60x120 Rect.
- B54 Pulpis Cream Satin 60x120 Rect.

- B54 Pulpis Pearl Shiny 59,5x59,5 Rect.
- B54 Pulpis Cream Shiny 59,5x59,5 Rect.



### Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta

- B54 Pulpis Pearl Polished 120x120 Rect.
- B54 Pulpis Cream Polished 120x120 Rect.
- B54 Pulpis Pearl Satin 120x120 Rect.
- B54 Pulpis Cream Satin 120x120 Rect.







# PERSIA

120x120 60x120


PORCELAIN • PORSLIN

MARBLES COLLECTION




**120x120**  
15 Designs  
**60x120**  
30 Designs

## FORMAT



**B18** Persia Polished 120x120 Rect.



**B54** Persia Polished 60x120 Rect.

## Special pieces | Specialbitar



**P31** 8x60 / 8x59,5 Skirting romo | Sockelplatta  
**P23** 8x75 Skirting romo | Sockelplatta



**P129** 33x120 Stair step | Trappsteg





# SAHARA


120x120 60x120 60x60

PORCELAIN • PORSLIN




**120x120**  
9 Designs  
**60 x 120**  
18 Designs  
**60x60**  
20 Designs


## FORMAT



B54 Sahara Polished 60x120 Rect.



B60 Sahara Shiny 59,5x59,5 Rect.



B18 Sahara Polished 120x120 Rect.

### Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta





# SYRAC

120x120 60x120 60x60

PORCELAIN • PORSLIN




120x120  
8 Designs  
60 x 120 / 60x60  
16 Designs


## FORMAT



B54 Syrac Polished 60x120 Rect.  
B84 Syrac Satin 60x120 Rect.



B60 Syrac Matt 59,5x59,5 Rect.



B18 Syrac Polished 120x120 Rect.  
B76 Syrac Satin 120x120 Rect.

### Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta



P129 33x120 Stair step | Trappsteg



# SYRAC DECOR

30x90

WHITE BODY • VIT KÄRNA

SYRAC DECOR SHINY

SYRAC DECOR MATT


MARBLES COLLECTION



## FORMAT



B54 Syrac Decor Shiny 29,5x90 Rect.



B54 Syrac Decor Matt 29,5x90 Rect.



B54 Syrac Matt 29,5x90 Rect.



30x90


18 Designs

60x60

12 Designs



Matching floor tile | Matchande klinker



B60 Syrac Matt  
59,5x59,5 Rect.

Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta



# VOLAKAS

120x120 60x120 23x27


PORCELAIN • PORSLIN

MARBLES COLLECTION



**120x120**  
8 Designs  
**60 x 120**  
16 Designs  
**23 x 27**  
24 Designs

## FORMAT



**B18** Volakas Polished 120x120 Rect.  
**B76** Volakas Satin 120x120 Rect.




**B54** Volakas Hexa Matt 23x27

### Special pieces | Specialbitar



**P31** 8x59,5 Skirting romo | Sockelplatta



**B54** Volakas Polished 60x120 Rect.



# WHITE SOUL

120x120 60x120 75x75 60x60 30x60 23x27


PORCELAIN • PORSLIN

MARBLES COLLECTION




## FORMAT

- 120x120**  
10 Designs
- 60 x 120**  
9 Designs
- 75x75**  
8 Designs
- 60x60**  
11 Designs
- 30x60**  
37 Designs
- 23x27**  
16 Designs




**B18** White Soul Polished 120x120 Rect.



**B56** White Soul Polished 75x75 Rect.  
**B55** White Soul Shiny 75x75 Rect.



**B60** White Soul Matt 59,5x59,5 Rect.  
**B60** White Soul Shiny 59,5x59,5 Rect.



**B54** White Soul Polished 60x120 Rect.  
**B86** White Soul Shiny 60x120 Rect.  
**B86** White Soul Matt 59,5x119,5 Rect.



**B03** White Soul Matt 29,5x59,5 Rect.




**B68** White Soul Matt Hexa 23x27

## Special pieces | Specialbitar



**P31** 8x60 / 8x59,5 Skirting romo | Sockelplatta  
**P23** 8x75 Skirting romo | Sockelplatta





# WHITE SOUL DECOR

30x90

WHITE BODY • VIT KÄRNA

MARBLES COLLECTION




## FORMAT




30x90  
18 Designs


60x60  
12 Designs




B69 White Soul Shiny 29,5x90 Rect.



B69 White Mix Shiny 29,5x90 Rect.



B54 White Cube Shiny 29,5x90 Rect.



B54 White Flow Matt 29,5x90 Rect.


## Matching floor tile | Matchande klinker



## Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta



B60 White Soul  
Matt 59,5x59,5 Rect.



# INSTRUCTIONS & MAINTENANCE

# INSTRUKTIONER & UNDERHÅLL

Correct and careful installation of Cementfabrikens Ceramic's products is essential to fully utilize their technical features. (Reference standard: UNE 138002) For this reason, the following guidelines are necessary.

- Verify the size, color, and quality of the product before installation.
- Select appropriate installation tools, including a toothed trowel, a white rubber hammer, a suction grip, and a rubber trowel for grouting.
- Ensure that the surface where the material will be installed is level, clean, and protected from moisture.
- Pay special attention to the choice of adhesive (consult your regular adhesive supplier) as each type of ceramic requires the right adhesive. (Reference standard: EN-1348).
- The professional responsible for installation should choose the appropriate joint width between pieces to ensure proper absorption of structural movements and allowance for product dimensional tolerances. Cementfabriken recommends a minimum joint width between 1.5 mm to 3 mm, depending on thickness and format (always refer to the UNE 138002 standard), and check for additional instructions on the packaging (caliber measurements, recommended joint).
- Avoid using colored grouting materials containing black soot (micronized carbon) or dyes that may hinder the cleaning of the tiled surface.
- Remove excess grouting material from the tile surface while it is still fresh, using a sponge and clean water; never use hard materials that could scratch the tiles, such as metal spatulas or abrasive scourers. Always follow the recommendations provided by the adhesive manufacturer.
- Once the tiles are installed, avoid working in the tiled area (plastering, painting, placing scaffolds/ladders, projecting metallic fragments from disc grinders, moving tools, dragging heavy objects, removing remains of abrasive building materials, etc.). If this cannot be avoided, always protect the tiles and joints to prevent cleaning issues or deterioration. The materials used for protection must not be harmful or contain chemical products that may damage the tiling.

#### SPECIAL INSTRUCTIONS FOR INSTALLING STEPS:

- Ensure that the substrate is perfectly clean and smooth.
- Start installation from the top and work downwards.
- A thorough preliminary planning by the Project Manager is recommended.
- Apply cement adhesive over the entire area, leaving no areas without adhesive.
- Completely fill the gap between the wall and the lower edge of the step.
- Always position the step riser at the same level as the step.
- It is advisable to protect the step surfaces while working. Avoid direct impacts on the steps both during and after installation.

#### SPECIAL INSTRUCTIONS FOR INSTALLING RECTANGULAR FORMATS:

When installing rectangular formats discontinuously, avoid placing them in the center of the piece. To maintain the aesthetic appearance and avoid installation difficulties, ensure that the discontinuous layout does not exceed 25% of the side to which it is applied.

#### DURING THE INSTALLATION PROCESS:

After installing the tiles, it will be necessary to provide adequate protection against possible damage during subsequent construction work. This can be achieved by covering them with cardboard, thick carpet, or plastic.

#### CLEANING AFTER INSTALLATION:

Residues remaining after completing the work can be easily removed with a commercial detergent or an acid-based one, always considering the chemical resistance indicated by the manufacturer. When using cleaning products, the following general considerations should be taken into account: Acid cleaning should never be carried out on recently installed floor tiles to avoid damaging the joints or leaving insoluble compounds on the surface. It is recommended to pre-soak the surface with clean water before using any chemical agent to prevent the grout from absorbing these agents. Clean the surface with water immediately after the treatment to remove any remnants of chemical products. Use sponges instead of trowels or abrasive scourers. Natural sponges are strongly recommended. Hiring a professional tile installer is highly recommended for optimal performance.

#### ROUTINE MAINTENANCE:

Daily cleaning of stoneware tiles is particularly simple, it only requires clean water to which an alkaline base cleaner may be added.

Avoid using waxes, oils, or similar products as the non-porous glazed surface may hinder proper application.

In case of stubborn stains, test solvents or specific cleaning agents on a spare tile or in a non-visible area, taking the tile's chemical resistance into account.

#### IMPORTANT:

Hand-painted ceramic wall tiles or complementary pieces created in the third and fourth firings must be handled with extreme care during both installation and cleaning, as well as during regular routine cleaning. Avoid using pure or diluted acids, corrosive detergents, or other products that may seriously damage their original appearance.\*

Korrekt och noggrann installation av Cementfabrikens keramiska produkter är avgörande för att fullt utnyttja deras tekniska egenskaper. (Referensstandard: UNE 138002) Av detta skäl är följande riktlinjer nödvändiga:

- Kontrollera storlek, färg och kvalitet på produkten före installation.
- Välj lämpliga installationsverktyg, inklusive en tandad kelspade, en vit gummiklubba, en sugkopp och en gummispackel för fogning.
- Se till att ytan där materialet ska installeras är plan, ren och skyddad från fukt.
- Lägg särskild vikt vid valet av lim (konsultera din vanliga limleverantör) eftersom varje typ av keramik kräver rätt lim. (Referensstandard: EN-1348).
- Den ansvarige för installationen bör välja lämplig fogbredd mellan plattorna för att säkerställa korrekt absorption av strukturella rörelser och hänsynstagande till produkters dimensionstoleranser. Cementfabriken rekommenderar en minimal fogbredd mellan 1,5 mm till 3 mm, beroende på tjocklek och format (hänvisa alltid till UNE 138002-standarden) och kontrollera eventuella ytterligare anvisningar på förpackningen (kalibermätningar, rekommenderad fog).
- Undvik att använda färgade fogmassor som innehåller svart sot (mikroniserad kol) eller färgämnen som kan försvåra rengöringen av den kaklade ytan.
- Ta bort överskott av fogmaterial från plattans yta medan det fortfarande är färskt, med hjälp av en svamp och rent vatten; använd aldrig hårda material som kan repa plattorna, som metallspatlar eller abrasiva skurborstar. Följ alltid rekommendationerna från limtillverkaren.
- När plattorna är installerade, undvik att arbeta i det kaklade området (putsning, målning, placering av ställningar/stege, projicering av metallfragment från slipmaskiner, flytta verktyg, dra tunga föremål, ta bort rester av slipmaterial, etc.). Om detta inte kan undvikas, skydda alltid plattorna och fogarna för att förhindra rengöringsproblem eller försämring. De material som används för skydd får inte vara skadliga eller innehålla kemiska produkter som kan skada kaklet.

#### SÄRSKILDA INSTRUKTIONER FÖR INSTALLATION AV TRAPPSTEG:

- Se till att underlaget är perfekt rent och jämnt.
- Börja installationen från toppen och arbeta nedåt.
- En noggrann förberedande planering av projektet rekommenderas.
- Applicera cementlim över hela området, utan att lämna områden utan lim.
- Fyll helt utrymmet mellan väggen och den nedre kanten av trappsteget.
- Placera alltid trappstegsutjämningen på samma nivå som trappsteget.
- Det är lämpligt att skydda trappstegens ytor under arbetet. Undvik direkt påverkan på trappstegen både under och efter installationen.

#### SÄRSKILDA INSTRUKTIONER FÖR INSTALLATION AV REKTANGULÄRA FORMAT:

Vid installation av rektangulära format diskontinuerligt, undvik att placera dem i mitten av stycket. För att bibehålla det estetiska utseendet och undvika installationsproblem, se till att den diskontinuerliga layouten inte överskrider 25% av sidan som den appliceras på.

#### UNDER INSTALLATIONSPROCESSEN:

Efter att plattorna har installerats kommer det att vara nödvändigt att ge adekvat skydd mot möjliga skador under efterföljande byggnadsarbete. Detta kan uppnås genom att täcka dem med kartong, tjockt mattmaterial eller plast.

#### RENGÖRING EFTER INSTALLATION:

Resterna som finns kvar efter avslutat arbete kan enkelt avlägsnas med ett kommersiellt rengöringsmedel eller ett syrabaserat rengöringsmedel, alltid med tanke på den kemiska resistensen som anges av tillverkaren. Vid användning av rengöringsprodukter bör följande generella överväganden beaktas: Syrabaserad rengöring bör aldrig utföras på nyligen installerade golvplattor för att undvika skador på fogarna eller avlagring av olöstliga föreningar på ytan. Det rekommenderas att först blöttlägga ytan med rent vatten innan du använder något kemiskt medel för att förhindra att fogmassorna absorberar dessa medel. Rengör ytan med vatten omedelbart efter behandlingen för att ta bort eventuella rester av kemiska produkter. Använd svampar istället för kelspade eller abrasiva skurborstar. Naturliga svampar rekommenderas starkt. Det är mycket rekommenderat att anlita en professionell plattsättare för att uppnå optimal prestanda.

#### ROUTINMÄSSIG SKÖTSEL:

Daglig rengöring av stengodsplattor är särskilt enkel och kräver endast rent vatten, eventuellt med tillsats av en alkalisk basrengöring. Undvik att använda vaxer, oljor eller liknande produkter eftersom den icke-porösa glaserade ytan kan förhindra en korrekt applicering. Vid envisa fläckar bör du testa lösningsmedel eller specifika rengöringsmedel på en reservplatta eller i ett icke-synligt område med hänsyn till plattans kemiska resistens.

#### VIKTIGT:

Handmålad keramiska väggplattor eller kompletterande delar som skapats vid tredje och fjärde bränningen måste hanteras med stor försiktighet både under installation och rengöring, liksom under regelbunden rutinmässig rengöring. Undvik att använda rena eller utspädda syror, frätande rengöringsmedel eller andra produkter som kan allvarligt skada deras ursprungliga utseende.

# CERTIFICATIONS & SHIPPING

# CERTIFIKAT & LEVERANS



CE Marking declares conformity of our products with the technical and legal requirements for safety.

CE-märkning deklarerar överensstämmelse av våra produkter med tekniska och rättsliga krav för säkerhet.



CCC Certificate that guarantees that our products meet the standard of radioactivity

CCC-certifikat som garanterar att våra produkter uppfyller standarden för radioaktivitet.



Certificate of content in VOCs which states that our products are exempt and belong to type A+

Certifikat om innehåll av VOC som fastställer att våra produkter är undantagna och tillhör typ A+.



LEED certificate that guarantees compliance with a set of rules on the use of strategies aimed at sustainability in buildings.

LEED-certifikat som garanterar överensstämmelse med en uppsättning regler om användning av strategier för hållbarhet i byggnader.



AENOR certification, for implementing and maintaining a Quality Management System for the following scope: design, development, manufacture and marketing ceramic tiles that meet fulfills the requirements of the following standard ISO 9001:2015 Registrer Number: ER-0498/2020.

AENOR-certifiering för implementering och upprätthållande av ett kvalitetsledningssystem för följande område: design, utveckling, tillverkning och marknadsföring av keramiska plattor som uppfyller kraven enligt följande standard ISO 9001:2015. Registreringsnummer: ER-0498/2020.



Technical Approval Document - DIT

Tekniskt godkännandedokument - DIT.



The AAI includes all environmental aspects, and other related aspects considered by the competent environmental authorities, in accordance with basic state and corresponding autonomous legislation.

AAI inkluderar alla miljöaspekter och andra relaterade aspekter som anses av behöriga miljömyndigheter, i enlighet med grundläggande statlig och motsvarande autonom lagstiftning.



The quality and impartiality of the certification process, and the level of its requirements form the basis of the technical added value of QB certification.

Kvaliteten och opartiskheten i certifieringsprocessen och kravnivån utgör grunden för det tekniska mervärdet av QB-certifiering.



NSF certification assures suppliers, retailers, regulators and consumers that an independent organisation has reviewed the manufacturing process and determined that the product meets specific standards of safety, quality, sustainability or performance.

NSF-certifiering försäkras leverantörer, återförsäljare, regleringsmyndigheter och konsumenter om att en oberoende organisation har granskat tillverkningsprocessen och fastställt att produkten uppfyller specifika standarder för säkerhet, kvalitet, hållbarhet eller prestanda.

WHITE BODY   VIT KÄRNA									
FORMAT	BOXES   PAKET			PALLET   PALL			EUROPALLET   EU-PALL		
	PC   ST	M <sup>2</sup>	KG	PC   ST	M <sup>2</sup>	KG	PC   ST	M <sup>2</sup>	KG
5,2x16	85	0,71	9,01	-	-	-	100	71,2	921
29,5x90	6	1,59	27	54	85,86	1.382,9	-	-	-
29,5x90 Decor	5	1,33	25	60	79,8	1.373,3	-	-	-

PORCELAINÉ   PORSLN									
FORMAT	BOXES   PAKET			PALLET   PALL			EUROPALLET   EU-PALL		
	PC   ST	M <sup>2</sup>	KG	PC   ST	M <sup>2</sup>	KG	PC   ST	M <sup>2</sup>	KG
15x15	22	0,495	9	-	-	-	120	59,4	1.220
23,2x26,7	16	0,75	14,5	-	-	-	90	67,5	1.310

PORCELAINÉ   PORSLN									
FORMAT	BOXES   PAKET			PALLET   PALL			EUROPALLET   EU-PALL		
	PC   ST	M <sup>2</sup>	KG	PC   ST	M <sup>2</sup>	KG	PC   ST	M <sup>2</sup>	KG
75x150	1	1,13	24	-	-	-	42	47	1.004,92
120x120	1	1,44	39	36	51,84	1.349	-	-	-
90x90	2	1,62	32,5	-	-	-	30	48,6	1.035
60x120	1	0,72	33,9	-	-	-	32	23,04	1.100
59,5x119,2	2	1,42	29	-	-	-	32	45,44	930,16
59,5x59,5	4	1,42	26	-	-	-	36	51,12	921,2
29,5x59,5	7	1,23	25	-	-	-	48	59,04	1.032
18,7x28,7 (Mosaic)	6	0,23	4,32	-	-	-	60	13,7	271,4



WWW.CEMENTFABRIKEN.SE