

CEMENTFABRIKEN
SCANDINAVIA

23
24


GREY LABEL
CEMENT COLLECTION

PAGE GUIDE SID GUIDE

PAGE EXAMPLE SIDEXEMPEL

Name & Material | Namn & Material

Collection | Kollektion



Design

INVISIBLE GREY

120x120 60x120

PORCELAIN • PORSLIN


MARBLES COLLECTION

Characteristics | Egenskaper



120x120
8 Designs
60x120
16 Designs

FORMAT



B18 Capraia Polished 120x120 Rect.



B54 Capraia Polished 60x120 Rect.

Special pieces | Specialbitar



P31 8x60 Skirting rama | Sockelplatta

Pricecode | Priskod
Name | Namn
Finish | Finish
Size | Storlek



SYMBOLS | SYMBOLER

TECHNICAL CHARACTERISTICS

TEKNISKA EGENSKAPER

- 2CM** THICKNESS 2CM
TJOCKLEK 2CM
- COLORED BODY
FÄRGAD KÄRNA
- W** WHITE BODY
VIT KÄRNA
- P** PORCELAIN
PORSLIN
- RECTIFIED
SKARPKANTAD
- DIGITAL TECHNOLOGY
DIGITAL TEKNOLOGI
- C2** ANTI SLIP
HALSAKER
- C3** ANTI SLIP
HALSAKER
- R11** ANTI SLIP
HALSAKER
- FLOOR & WALL
GOLV & VÄGG (KLINKER)
- WALL TILE
VÄGG (KAKEL)
- FLOOR TILE
GOLV (KLINKER)

SURFACE FINISH

YT-FINISH

- POLISHED
POLERAD
- SHINY
BLANK
- MATT
MATT
- SATIN
SATIN
- METAL
METALL
- RELIEVE
KAKEL MED STRUKTUR

GRAPHICAL VARIATION

GRAFISK VARIATION

- V1** UNIFORM APPEARANCE
ENHETLIGT UTFORANDE
- V2** SLIGHT VARIATION
SMÅ VARIATIONER
- V3** MODERATE DEGREE OF VARIATION
MÄTLIG GRAD AV VARIATION
- V4** HIGH DEGREE OF VARIATION
HÖG GRAD AV VARIATION



ASH

75x75 75x150

PORCELAIN • PORSLIN




FORMAT

75x150
8 Designs

75x75
16 Designs



B25 Ash 75x150 Matt Rect.



B29 Ash 75x75 Matt Rect.

Special pieces | Specialbitar



P23 8x75 Skirting romo | Sockelplatta



PEARL

BEIGE

GREY

ANTHRACITE

ATRIUM

75X150 60X120 75X75 60X60 30X60 25X28

PORCELAIN • PORSLIN



75x150 / 60x120

9 Designs

75x75 / 60x60

18 Designs

30x60

36 Designs


25x28,5

12 Designs


FORMAT




- B85 Atrium Pearl Matt 59,5x119,2 Rect.
- B85 Atrium Grey Matt 59,5x119,2 Rect.
- B85 Atrium Anthracite Matt 59,5x119,2 Rect.
- B85 Atrium Beige Matt 59,5x119,2 Rect.




- B27 Atrium Pearl Matt 59,5x59,5 Rect.
- B27 Atrium Grey Matt 59,5x59,5 Rect.
- B27 Atrium Anthracite Matt 59,5x59,5 Rect.
- B27 Atrium Beige Matt 59,5x59,5 Rect.



- B27 Atrium Pearl Matt 29,5x59,5 Rect.
- B27 Atrium Grey Matt 29,5x59,5 Rect.
- B27 Atrium Anthracite Matt 29,5x59,5 Rect.
- B27 Atrium Beige Matt 29,5x59,5 Rect.
- B52 Atrium Pearl Grip 29,5x59,5 Rect.
- B52 Atrium Grey Grip 29,5x59,5 Rect.



- B25 Atrium Pearl Matt 75x150 Rect.
- B25 Atrium Grey Matt 75x150 Rect.
- B25 Atrium Anthracite Matt 75x150 Rect.
- B25 Atrium Beige Matt 75x150 Rect.



- B49 Atrium Pearl Matt 75x75 Rect.
- B49 Atrium Grey Matt 75x75 Rect.
- B49 Atrium Anthracite Matt 75x75 Rect.
- B49 Atrium Beige Matt 75x75 Rect.
- B51 Atrium Pearl Grip 75x75 Rect.
- B51 Atrium Grey Grip 75x75 Rect.



- P18 Atrium Pearl Matt Mosaic 25x28,5
- P18 Atrium Grey Matt Mosaic 25x28,5
- P18 Atrium Anthracite Matt Mosaic 25x28,5
- P18 Atrium Beige Matt Mosaic 25x28,5

Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta
P23 8x75 Skirting romo | Sockelplatta



P129 33x120 Stair step | Trappsteg



CEMENT COLLECTION



ATRIUM

75X150 60X120 75X75 60X60 30X60 23X28

WHITE BODY • VIT KÄRNA



30x100
23 Designs

FORMAT



- B94 Atrium Pearl Matt 31,6x100 Rect.
- B94 Atrium Grey Matt 31,6x100 Rect.
- B94 Atrium Anthracite Matt 31,6x100 Rect.
- B94 Atrium Beige Matt 31,6x100 Rect.



- B95 Atrium Pearl Decor Matt 31,6x100 Rect.
- B95 Atrium Grey Decor Matt 31,6x100 Rect.
- B95 Atrium Anthracite Decor Matt 31,6x100 Rect.
- B95 Atrium Beige Decor Matt 31,6x100 Rect.



Matching floor tile | Matchande klinker



- B27 Atrium Pearl Matt 59,5x59,5 Rect.
- B27 Atrium Grey Matt 59,5x59,5 Rect.
- B27 Atrium Anthracite Matt 59,5x59,5 Rect.
- B27 Atrium Beige Matt 59,5x59,5 Rect.

Special pieces | Specialbitar



- P31 8x59,5 Skirting romo | Sockelplatta
- P23 8x75 Skirting romo | Sockelplatta



WHITE

GREY

IDOLE

60x120 60x60 30x60

PORCELAIN • PORSLIN



60x120

8 Designs


60x60

18 Designs

30x60

35 Designs

FORMAT



B27 Idole White Matt 59,5x59,5 Rect.
B27 Idole Grey Matt 59,5x59,5 Rect.

B27 Idole White Matt 29,5x59,5 Rect.
B27 Idole Grey Matt 29,5x59,5 Rect.




B85 Idole White Matt 59,5x119,2 Rect.
B85 Idole Grey Matt 59,5x119,2 Rect.

Special pieces | Specialbitar




P23 8x59,5 Skirting romo | Sockelplatta





PEARL



GREY

NAPOLI


75x75

PORCELAIN • PORSLIN



75x75
35 Designs

FORMAT



- B49 Napoli Pearl Matt 75x75 Rect.
- B49 Napoli Grey Matt 75x75 Rect.
- B83 Napoli Pearl Grip 75x75 Rect.
- B83 Napoli Grey Grip 75x75 Rect.

Special pieces | Specialbitar



P23 8x59,5 Skirting romo | Sockelplatta





NUVOLE

30x90 60x60

WHITE BODY • VIT KÄRNA



30x90
10 Designs
60x60
12 Designs

FORMAT



- B59 Nuvole Pearl Matt 29,5x90 Rect.
- B59 Nuvole Cream Matt 29,5x90 Rect.
- B59 Nuvole Grey Matt 29,5x90 Rect.
- B59 Nuvole Graphite Matt 29,5x90 Rect.



- B69 Nuvole Pearl Decor Matt 29,5x90 Rect.
- B69 Nuvole Cream Decor Matt 29,5x90 Rect.
- B69 Nuvole Grey Decor Matt 29,5x90 Rect.
- B69 Nuvole Graphite Decor Matt 29,5x90 Rect.



Matching floor tile | Matchande klinker



- B27 Nuvole Pearl Matt 59,5x59,5 Rect.
- B27 Nuvole Cream Matt 59,5x59,5 Rect.
- B27 Nuvole Grey Matt 59,5x59,5 Rect.
- B27 Nuvole Graphite Matt 59,5x59,5 Rect.



P31 8x59,5 Skirting romo | Sockelplatta



THE SEVEN COLLECTION



BEIGE

SAND

HAZELNUT

PEARL

SILVER

GREY

DARK GREY


SEVEN

75X150 60X120 75X75 60X60 30X60 23X28

PORCELAIN • PORSLIN

CEMENT COLLECTION


FORMAT




- B25 Seven Beige Matt 120x120 Rect.
- B25 Seven Sand Matt 120x120 Rect.
- B25 Seven Hazelnut Matt 120x120 Rect.
- B25 Seven Pearl Matt 120x120 Rect.
- B25 Seven Silver Matt 120x120 Rect.
- B25 Seven Grey Matt 120x120 Rect.
- B25 Seven Dark Grey Matt 120x120 Rect.
- B25 Seven Beige Grip 120x120 Rect.
- B25 Seven Sand Grip 120x120 Rect.
- B25 Seven Pearl Grip 120x120 Rect.
- B25 Seven Silver Grip 120x120 Rect.
- B25 Seven Grey Grip 120x120 Rect.




- B85 Seven Beige Matt 59,5x119,2 Rect.
- B85 Seven Sand Matt 59,5x119,2 Rect.
- B85 Seven Hazelnut Matt 59,5x119,2 Rect.
- B85 Seven Pearl Matt 59,5x119,2 Rect.
- B85 Seven Silver Matt 59,5x119,2 Rect.
- B85 Seven Grey Matt 59,5x119,2 Rect.
- B85 Seven Dark Grey Matt 59,5x119,2 Rect.
- B88 Seven Beige Grip 59,5x119,2 Rect.
- B88 Seven Sand Grip 59,5x119,2 Rect.
- B88 Seven Hazelnut Grip 59,5x119,2 Rect.
- B88 Seven Pearl Grip 59,5x119,2 Rect.
- B88 Seven Silver Grip 59,5x119,2 Rect.
- B88 Seven Grey Grip 59,5x119,2 Rect.
- B88 Seven Dark Grey Grip 59,5x119,2 Rect.
- B120 Seven Sand Grip 2cm 60x120 Rect.
- B120 Seven Pearl Grip 2cm 60x120 Rect.
- B120 Seven Silver Grip 2cm 60x120 Rect.
- B120 Seven Grey Grip 2cm 60x120 Rect.



- B70 Seven Sand Matt 90x90 Rect.
- B70 Seven Pearl Matt 90x90 Rect.
- B70 Seven Grey Matt 90x90 Rect.
- B70 Seven Dark Grey Matt 90x90 Rect.
- B122 Seven Sand Grip 90x90 Rect.
- B122 Seven Pearl Grip 90x90 Rect.
- B122 Seven Grey Grip 90x90 Rect.
- B122 Seven Dark Grey Grip 90x90 Rect.



- B27 Seven Beige Matt 29,5x59,5 Rect.
- B27 Seven Sand Matt 29,5x59,5 Rect.
- B27 Seven Hazelnut Matt 29,5x59,5 Rect.
- B27 Seven Pearl Matt 29,5x59,5 Rect.
- B27 Seven Silver Matt 29,5x59,5 Rect.
- B27 Seven Grey Matt 29,5x59,5 Rect.
- B27 Seven Dark Grey Matt 29,5x59,5 Rect.



- B27 Seven Beige Matt 59,5x59,5 Rect.
- B27 Seven Sand Matt 59,5x59,5 Rect.
- B27 Seven Hazelnut Matt 59,5x59,5 Rect.
- B27 Seven Pearl Matt 59,5x59,5 Rect.
- B27 Seven Silver Matt 59,5x59,5 Rect.
- B27 Seven Grey Matt 59,5x59,5 Rect.
- B27 Seven Dark Grey Matt 59,5x59,5 Rect.



- P18 Atrium Pearl Matt Mosaic 25x28,5
- P18 Atrium Grey Matt Mosaic 25x28,5
- P18 Atrium Anthracite Matt Mosaic 25x28,5
- P18 Atrium Beige Matt Mosaic 25x28,5



- B27 Seven Beige Matt 23,2x26,7 Rect.
- B27 Seven Sand Matt 23,2x26,7 Rect.
- B27 Seven Hazelnut Matt 23,2x26,7 Rect.
- B27 Seven Pearl Matt 23,2x26,7 Rect.
- B27 Seven Silver Matt 23,2x26,7 Rect.
- B27 Seven Grey Matt 23,2x26,7 Rect.
- B27 Seven Dark Grey Matt 23,2x26,7 Rect.

Special pieces | Specialbitar



- P31 8x59,5 Skirting romo | Sockelplatta
- P23 8x75 Skirting romo | Sockelplatta



75x150 / 60x120

9 Designs

75x75 / 60x60

18 Designs

30x60

36 Designs

25x28,5

12 Designs



BEIGE

SAND

HAZELNUT

PEARL

SILVER

GREY

DARK GREY

SEVEN DECOR

30x90 60x60

WHITE BODY • VIT KÄRNA

CEMENT COLLECTION

FORMAT



30x90


10 Designs

60x60

12 Designs



- B59 Seven Beige Matt 29,5x90 Rect.
- B59 Seven Sand Matt 29,5x90 Rect.
- B59 Seven Hazelnut Matt 29,5x90 Rect.
- B59 Seven Pearl Matt 29,5x90 Rect.
- B59 Seven Silver Matt 29,5x90 Rect.
- B59 Seven Grey Matt 29,5x90 Rect.
- B59 Seven Dark Grey Matt 29,5x90 Rect.




- B59 B59 Seven Beige Decor Matt 29,5x90 Rect.
- B59 Seven Sand Decor Matt 29,5x90 Rect.
- B59 Seven Hazelnut Decor Matt 29,5x90 Rect.
- B59 Seven Pearl Decor Matt 29,5x90 Rect.
- B59 Seven Silver Decor Matt 29,5x90 Rect.
- B59 Seven Grey Decor Matt 29,5x90 Rect.
- B59 Seven Dark Grey Decor Matt 29,5x90 Rect.



- B59 Evocative Warm Matt 29,5x90 Rect.
- B59 Evocative Cold Matt 29,5x90 Rect.



Matching floor tile | Matchande klinker



- B27 Seven Beige Matt 59,5x59,5 Rect.
- B27 Seven Sand Matt 59,5x59,5 Rect.
- B27 Seven Hazelnut Matt 59,5x59,5 Rect.
- B27 Seven Pearl Matt 59,5x59,5 Rect.
- B27 Seven Silver Matt 59,5x59,5 Rect.
- B27 Seven Grey Matt 59,5x59,5 Rect.
- B27 Seven Dark Grey Matt 59,5x59,5 Rect.

Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta



THE TOKYO COLLECTION



LIGHT

GREY

NUDE

MAKEUP

TOKYO

60x120 60x60 30x60

PORCELAIN • PORSLIN



60x120

8 Designs

60x60

16 Designs


30x60

10 Designs


FORMAT



- B85 Tokio Light Matt 59,5x119,2 Rect.
- B85 Tokio Grey Matt 59,5x119,2 Rect.
- B85 Tokio Nude Matt 59,5x119,2 Rect.
- B85 Tokio Makeup Matt 59,5x119,2 Rect.



- B27 Tokio Light Matt 59,5x59,5 Rect.
- B27 Tokio Grey Matt 59,5x59,5 Rect.
- B27 Tokio Nude Matt 59,5x59,5 Rect.
- B27 Tokio Makeup Matt 59,5x59,5 Rect.
- B52 Tokio Light Matt C2 59,5x59,5 Rect.
- B52 Tokio Grey Matt C2 59,5x59,5 Rect.
- B52 Tokio Nude Matt C2 59,5x59,5 Rect.
- B52 Tokio Makeup Matt C2 59,5x59,5 Rect.
- B52 Tokio Light Grip 59,5x59,5 Rect.
- B52 Tokio Grey Grip 59,5x59,5 Rect.
- B52 Tokio Nude Grip 59,5x59,5 Rect.
- B52 Tokio Makeup Grip 59,5x59,5 Rect.



- B27 Tokio Light Matt 29,5x59,5 Rect.
- B27 Tokio Grey Matt 29,5x59,5 Rect.
- B27 Tokio Nude Matt 29,5x59,5 Rect.
- B27 Tokio Makeup Matt 29,5x59,5 Rect.

Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta





TOKYO

60x120 60x60 30x60


PORCELAIN • PORSLIN

FORMAT



- B110 Tokio Light Decor Matt 59,5x119,2 Rect.
- B110 Tokio Grey Decor Matt 59,5x119,2 Rect.
- B110 Tokio Nude Decor Matt 59,5x119,2 Rect.
- B110 Tokio Makeup Decor Matt 59,5x119,2 Rect.

Matching floor tile | Matchande klinker



- B27 Seven Beige Matt 59,5x59,5 Rect.
- B27 Seven Sand Matt 59,5x59,5 Rect.
- B27 Seven Hazelnut Matt 59,5x59,5 Rect.
- B27 Seven Pearl Matt 59,5x59,5 Rect.
- B27 Seven Silver Matt 59,5x59,5 Rect.
- B27 Seven Grey Matt 59,5x59,5 Rect.
- B27 Seven Dark Grey Matt 59,5x59,5 Rect.

Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta



60x120
8 Designs





TOKYO

60x120 60x60 30x60

PORCELAIN • PORSLIN



60x120
8 Designs


FORMAT



- B110 Tokio Light Decor Matt 59,5x119,2 Rect.
- B110 Tokio Grey Decor Matt 59,5x119,2 Rect.
- B110 Tokio Nude Decor Matt 59,5x119,2 Rect.
- B110 Tokio Makeup Decor Matt 59,5x119,2 Rect.



Matching floor tile | Matchande klinker



Special pieces | Specialbitar



P31 8x59,5 Skirting romo | Sockelplatta

- B27 Seven Beige Matt 59,5x59,5 Rect.
- B27 Seven Sand Matt 59,5x59,5 Rect.
- B27 Seven Hazelnut Matt 59,5x59,5 Rect.
- B27 Seven Pearl Matt 59,5x59,5 Rect.
- B27 Seven Silver Matt 59,5x59,5 Rect.
- B27 Seven Grey Matt 59,5x59,5 Rect.
- B27 Seven Dark Grey Matt 59,5x59,5 Rect.



INSTRUCTIONS & MAINTENANCE INSTRUKTIONER & UNDERHÅLL

Correct and careful installation of Cementfabrikens Ceramic's products is essential to fully utilize their technical features. (Reference standard: UNE 138002) For this reason, the following guidelines are necessary.

- Verify the size, color, and quality of the product before installation.
- Select appropriate installation tools, including a toothed trowel, a white rubber hammer, a suction grip, and a rubber trowel for grouting.
- Ensure that the surface where the material will be installed is level, clean, and protected from moisture.
- Pay special attention to the choice of adhesive (consult your regular adhesive supplier) as each type of ceramic requires the right adhesive. (Reference standard: EN-1348).
- The professional responsible for installation should choose the appropriate joint width between pieces to ensure proper absorption of structural movements and allowance for product dimensional tolerances. Cementfabriken recommends a minimum joint width between 1.5 mm to 3 mm, depending on thickness and format (always refer to the UNE 138002 standard), and check for additional instructions on the packaging (caliber measurements, recommended joint).
- Avoid using colored grouting materials containing black soot (micronized carbon) or dyes that may hinder the cleaning of the tiled surface.
- Remove excess grouting material from the tile surface while it is still fresh, using a sponge and clean water; never use hard materials that could scratch the tiles, such as metal spatulas or abrasive scourers. Always follow the recommendations provided by the adhesive manufacturer.
- Once the tiles are installed, avoid working in the tiled area (plastering, painting, placing scaffolds/ladders, projecting metallic fragments from disc grinders, moving tools, dragging heavy objects, removing remains of abrasive building materials, etc.). If this cannot be avoided, always protect the tiles and joints to prevent cleaning issues or deterioration. The materials used for protection must not be harmful or contain chemical products that may damage the tiling.

SPECIAL INSTRUCTIONS FOR INSTALLING STEPS:

- Ensure that the substrate is perfectly clean and smooth.
- Start installation from the top and work downwards.
- A thorough preliminary planning by the Project Manager is recommended.
- Apply cement adhesive over the entire area, leaving no areas without adhesive.
- Completely fill the gap between the wall and the lower edge of the step.
- Always position the step riser at the same level as the step.
- It is advisable to protect the step surfaces while working. Avoid direct impacts on the steps both during and after installation.

SPECIAL INSTRUCTIONS FOR INSTALLING RECTANGULAR FORMATS:

When installing rectangular formats discontinuously, avoid placing them in the center of the piece. To maintain the aesthetic appearance and avoid installation difficulties, ensure that the discontinuous layout does not exceed 25% of the side to which it is applied.

DURING THE INSTALLATION PROCESS:

After installing the tiles, it will be necessary to provide adequate protection against possible damage during subsequent construction work. This can be achieved by covering them with cardboard, thick carpet, or plastic.

RECOMMENDED TOOLS:

For the installation of the tiles, the following tools are recommended: toothed trowel, white rubber hammer, suction grip, rubber trowel for grouting, and a rubber mallet.

RECOMMENDED ADHESIVES:

For the installation of the tiles, the following adhesives are recommended: cementitious adhesive for wall and floor tiles, cementitious adhesive for wall and floor tiles, and cementitious adhesive for wall and floor tiles. The adhesive must be applied in a uniform layer and must be compatible with the tiles and the substrate. The adhesive must be applied in a uniform layer and must be compatible with the tiles and the substrate. The adhesive must be applied in a uniform layer and must be compatible with the tiles and the substrate.

ROUTINE MAINTENANCE:

Daily cleaning of stoneware tiles is particularly simple, it only requires clean water to which an alkaline base cleaner may be added.

Avoid using waxes, oils, or similar products as the non-porous glazed surface may hinder proper application.

In case of stubborn stains, test solvents or specific cleaning agents on a spare tile or in a non-visible area, taking the tile's chemical resistance into account.

IMPORTANT:

Hand-painted ceramic wall tiles or complementary pieces created in the third and fourth firings must be handled with extreme care during both installation and cleaning, as well as during regular routine cleaning. Avoid using pure or diluted acids, corrosive detergents, or other products that may seriously damage their original appearance.*

Korrekt och noggrann installation av Cementfabrikens keramiska produkter är avgörande för att fullt utnyttja deras tekniska egenskaper. (Referensstandard: UNE 138002) Av detta skäl är följande riktlinjer nödvändiga:

- Kontrollera storlek, färg och kvalitet på produkten före installation.
- Välj lämpliga installationsverktyg, inklusive en tandad kelspade, en vit gummiklubba, en sugkopp och en gummispackel för fogning.
- Se till att ytan där materialet ska installeras är plan, ren och skyddad från fukt.
- Lägg särskild vikt vid valet av lim (konsultera din vanliga limleverantör) eftersom varje typ av keramik kräver rätt lim. (Referensstandard: EN-1348).
- Den ansvarige för installationen bör välja lämplig fogbredd mellan plattorna för att säkerställa korrekt absorption av strukturella rörelser och hänsynstagande till produkters dimensionstoleranser. Cementfabriken rekommenderar en minimal fogbredd mellan 1,5 mm till 3 mm, beroende på tjocklek och format (hänvisa alltid till UNE 138002-standardern) och kontrollera eventuella ytterligare anvisningar på förpackningen (kalibermätningar, rekommenderad fog).
- Undvik att använda färgade fogmassor som innehåller svart sot (mikroniserad kol) eller färgämnen som kan försvåra rengöringen av den kaklade ytan.
- Ta bort överskott av fogmaterial från plattans yta medan det fortfarande är färskt, med hjälp av en svamp och rent vatten; använd aldrig hårda material som kan repa plattorna, som metallspatlar eller abrasiva skurborstar. Följ alltid rekommendationerna från limtillverkaren.
- När plattorna är installerade, undvik att arbeta i det kaklade området (putsning, målning, placering av ställningar/stege, projicering av metallfragment från slipmaskiner, flytta verktyg, dra tunga föremål, ta bort rester av slipmaterial, etc.). Om detta inte kan undvikas, skydda alltid plattorna och fogarna för att förhindra rengöringsproblem eller försämring. De material som används för skydd får inte vara skadliga eller innehålla kemiska produkter som kan skada kaklet.

SÄRSKILDA INSTRUKTIONER FÖR INSTALLATION AV TRAPPSTEG:

- Se till att underlaget är perfekt rent och jämnt.
- Börja installationen från toppen och arbeta nedåt.
- En noggrann förberedande planering av projektet rekommenderas.
- Applicera cementlim över hela området, utan att lämna områden utan lim.
- Fyll helt utrymmet mellan väggen och den nedre kanten av trappsteget.
- Placera alltid trappstegsutjämningen på samma nivå som trappsteget.
- Det är lämpligt att skydda trappstegens ytor under arbetet. Undvik direkt påverkan på trappstegen både under och efter installationen.

SÄRSKILDA INSTRUKTIONER FÖR INSTALLATION AV REKTANGULÄRA FORMAT:

Vid installation av rektangulära format diskontinuerligt, undvik att placera dem i mitten av stycket. För att bibehålla det estetiska utseendet och undvika installationsproblem, se till att den diskontinuerliga layouten inte överskrider 25% av sidan som den appliceras på.

UNDER INSTALLATIONSPROCESSEN:

Efter att plattorna har installerats kommer det att vara nödvändigt att ge adekvat skydd mot möjliga skador under efterföljande byggnadsarbete. Detta kan uppnås genom att täcka dem med kartong, tjockt mattmaterial eller plast.

RECOMMENDED TOOLS:

För installationen av kaklarna rekommenderas följande verktyg: tandad kelspade, vit gummiklubba, sugkopp och gummispackel för fogning.

RECOMMENDED ADHESIVES:

För installationen av kaklarna rekommenderas följande adhesiver: cementbaserat lim för väggar och golv, cementbaserat lim för väggar och golv, och cementbaserat lim för väggar och golv. Adhesiven ska appliceras jämnt över hela ytan och ska vara kompatibel med kaklarna och underlaget. Adhesiven ska appliceras jämnt över hela ytan och ska vara kompatibel med kaklarna och underlaget. Adhesiven ska appliceras jämnt över hela ytan och ska vara kompatibel med kaklarna och underlaget.

RUTINMÄSSIG SKÖTSEL:

Daglig rengöring av stengodsplattor är särskilt enkel och kräver endast rent vatten, eventuellt med tillsats av en alkalisk basrengöring. Undvik att använda vaxer, oljor eller liknande produkter eftersom den icke-porösa glaserade ytan kan förhindra en korrekt applicering. Vid envisa fläckar bör du testa lösningsmedel eller specifika rengöringsmedel på en reservplatta eller i ett icke-synligt område med hänsyn till plattans kemiska resistens.

VIKTIGT:

Handmålad keramiska väggplattor eller kompletterande delar som skapats vid tredje och fjärde bränningen måste hanteras med stor försiktighet både under installation och rengöring, liksom under regelbunden rutinmässig rengöring. Undvik att använda rena eller utspädda syror, frätande rengöringsmedel eller andra produkter som kan allvarligt skada deras ursprungliga utseende.

CERTIFICATIONS & SHIPPING CERTIFIKAT & LEVERANS



CE Marking declares conformity of our products with the technical and legal requirements for safety.

CE-märkning deklarerar överensstämmelse av våra produkter med tekniska och rättsliga krav för säkerhet.



CCC Certificate that guarantees that our products meet the standard of radioactivity

CCC-certifikat som garanterar att våra produkter uppfyller standarden för radioaktivitet.



Certificate of content in VOCs which states that our products are exempt and belong to type A+

Certifikat om innehåll av VOC som fastställer att våra produkter är undantagna och tillhör typ A+.



LEED certificate that guarantees compliance with a set of rules on the use of strategies aimed at sustainability in buildings.

LEED-certifikat som garanterar överensstämmelse med en uppsättning regler om användning av strategier för hållbarhet i byggnader.



AENOR certification, for implementing and maintaining a Quality Management System for the following scope: design, development, manufacture and marketing ceramic tiles that meet fulfills the requirements of the following standard ISO 9001:2015 Registrer Number: ER-0498/2020.

AENOR-certifiering för implementering och upprätthållande av ett kvalitetsledningssystem för följande område: design, utveckling, tillverkning och marknadsföring av keramiska plattor som uppfyller kraven enligt följande standard ISO 9001:2015. Registreringsnummer: ER-0498/2020.



Technical Approval Document - DIT

Tekniskt godkännandedokument - DIT.



The AAI includes all environmental aspects, and other related aspects considered by the competent environmental authorities, in accordance with basic state and corresponding autonomous legislation.

AAI inkluderar alla miljöaspekter och andra relaterade aspekter som anses av behöriga miljömyndigheter, i enlighet med grundläggande statlig och motsvarande autonom lagstiftning.



The quality and impartiality of the certification process, and the level of its requirements form the basis of the technical added value of QB certification.

Kvaliteten och opartiskheten i certifieringsprocessen och kravnivån utgör grunden för det tekniska mervärdet av QB-certifiering.



NSF certification assures suppliers, retailers, regulators and consumers that an independent organisation has reviewed the manufacturing process and determined that the product meets specific standards of safety, quality, sustainability or performance.

NSF-certifiering försäkras leverantörer, återförsäljare, regleringsmyndigheter och konsumenter om att en oberoende organisation har granskat tillverkningsprocessen och fastställt att produkten uppfyller specifika standarder för säkerhet, kvalitet, hållbarhet eller prestanda.

WHITE BODY VIT KÄRNA									
FORMAT	BOXES PAKET			PALLET PALL			EUROPALLET EU-PALL		
	PC ST	M ²	KG	PC ST	M ²	KG	PC ST	M ²	KG
5,2x16	85	0,71	9,01	-	-	-	100	71,2	921
29,5x90	6	1,59	27	54	85,86	1.382,9	-	-	-
29,5x90 Decor	5	1,33	25	60	79,8	1.373,3	-	-	-

PORCELAINÉ PORSLN									
FORMAT	BOXES PAKET			PALLET PALL			EUROPALLET EU-PALL		
	PC ST	M ²	KG	PC ST	M ²	KG	PC ST	M ²	KG
15x15	22	0,495	9	-	-	-	120	59,4	1.220
23,2x26,7	16	0,75	14,5	-	-	-	90	67,5	1.310

PORCELAINÉ PORSLN									
FORMAT	BOXES PAKET			PALLET PALL			EUROPALLET EU-PALL		
	PC ST	M ²	KG	PC ST	M ²	KG	PC ST	M ²	KG
75x150	1	1,13	24	-	-	-	42	47	1.004,92
120x120	1	1,44	39	36	51,84	1.349	-	-	-
90x90	2	1,62	32,5	-	-	-	30	48,6	1.035
60x120	1	0,72	33,9	-	-	-	32	23,04	1.100
59,5x119,2	2	1,42	29	-	-	-	32	45,44	930,16
59,5x59,5	4	1,42	26	-	-	-	36	51,12	921,2
29,5x59,5	7	1,23	25	-	-	-	48	59,04	1.032
18,7x28,7 (Mosaic)	6	0,23	4,32	-	-	-	60	13,7	271,4

WWW.CEMENTFABRIKEN.SE